



JLG® STOCKPICKER



JLG[®]
reachingout.™

JLG® Stockpickers

REACHING OUT


It's time to put your ladders away. In stores, warehouses and distribution facilities, they've been replaced by a safer, more productive alternative – JLG® Stock Pickers. Whether you are transporting supplies, setting up displays or performing routine maintenance, JLG Stock Pickers make your everyday tasks more efficient and allow you to reach up to 8 m and lift up to 160 kg, while manoeuvring in confined working areas.

Choose from a range of machines to manage your inventory more productively. Stock up on safety, performance and productivity.

Get your work done more efficiently with the power of JLG.


EXPERIENCE A HIGHER LEVEL





DISCOVER THE FAMILY OF JLG® STOCK PICKING SOLUTIONS

JLG offers a complete line of stock pickers that are designed to improve the efficiency, reach and safety of your workers.



*With Stock Picking platform

A BIG STEP UP IN EMPLOYEE PRODUCTIVITY

With the MSP Series, your workforce can reach higher, carry more weight and work more efficiently. A single worker with an MSP stock picker can lift and carry up to 230 kg (people and materials) at working heights up to 8 m, and do work that would typically require two people with a ladder.

What's more, with heavy-duty aluminum mast sections, maintenance-free components, innovative controls and automatic battery charging, MSP lifts provide the reliability and long-lasting performance you need.

MSP SERIES ADVANTAGES

- Rugged planetary gear motors with 5 times the brush life of other models.
- Easier access to confined work areas.
- Improved safety over scaffolding and ladders.



Mobile Stock Pickers

More powerful, more reliable and more versatile, the drivable stock pickers will help you meet more of your access challenges.



Smart Solution

With a clean design and non-marking tyres, the MSP Series is ideal for stores, office areas, schools, hospitals and other indoor environments.



Efficiency

With the ability to reach higher and carry more weight, workers can manage inventory with greater speed and efficiency.



Increased Productivity

Less setup time and faster job completion.



A VERSATILE PERFORMER

With their compact size, joystick controls and a zero turning radius, the versatile MSP stock pickers provide the manoeuvrability and positioning needed for confined spaces.

Through doorways, down narrow aisles and all around busy work environments, they'll go places even a ladder can't reach. Plus, with a family of platforms, MSP stock pickers can be configured to your specific stock picking requirements and other maintenance needs.

MSP SERIES APPLICATIONS

- Stock Picking and Restocking Shelves
- Transporting Supplies
- Managing Inventory
- Setting Up Displays
- Hanging Decorations
- Lighting
- Routine Maintenance
- General Repair Work
- Hundreds of Everyday Tasks

MAJOR MOBILITY

Whether you're performing routine maintenance or managing inventory, you can take the MSP Series virtually anywhere, from factories, distribution and retail centers to theaters, airports, places of worship, entertainment facilities and more.

With the lightest weight in the industry, a narrow design and zero turning radius, challenging spaces are no longer an issue. The MSP Series lets you get your work done quickly and efficiently so you're ready for the next task.




Joystick Control

The advanced Point & Go® controller provides one-handed control while leaving one hand free.



Custom Platforms

MSP stock pickers can be configured to your specific stock picking requirements and other maintenance needs.



Working in Tight Spaces

MSP Series lifts are ideal for stores, warehouses and storage areas where space is limited.



Zero Turning Radius


Compact design allows the MSP Series to turn on its own axis.



REDUCE MANUAL HANDLING EVEN FURTHER

The Toucan™ Duo features a powered material tray which can reduce the manual handling element of stock picking even further. Ideal for stock picking and inventory control duties, the Duo features double-side entry gates and a spring-retracting belt guard on the tray to secure stock items and help prevent them from falling. The machine's compact design and low stowed height also make the Duo well suited for use in busy retail stores, offices, or any area where space is limited.

The aluminum mast provides rigidity and ease of maintenance, whilst the direct electric drive system with brushless AC motor allows for extended duty cycles. Proportional drive controls and a zero turning radius provide a smoother ride and greater manoeuvrability.



Powered Material Tray
With lift/lower control for greater efficiency.



AC Cord Retractor
Easier access to the charge cord.



Platform Controls
Comfortable and easier to use.



Durability
Aluminum mast provides rigidity and ease of maintenance.



STOCK PICKER PLATFORMS



Toucan™ Duo

- 0.75 x 0.65 m operator platform with double side entry gates
- 0.75 x 0.50 m powered material tray 130 kg capacity
- 70 kg material tray capacity



10MSP

- 0.69 x 0.50 m personnel platform
- Adjustable 0.66 x 0.66 m material tray Saloon-style rear-entry gate 160 kg operator's platform capacity
- 115 kg material tray capacity
- 115 kg carry deck capacity



15MVL/20MVL

- 0.71 x 1.22 m stock picking/personnel platform*
- Front entry with flexible or fixed rail set-up 230 kg total capacity

*Stock is placed at foot level on this platform option.



20MVL


- Platform with material tray 0.69 x 0.58 m personnel platform
- Fold-down 0.69 x 0.58 m material tray Saloon-style side-entry gate
- 45 kg material tray capacity
- 115 kg platform capacity

VERTICAL MAST LIFT PLATFORMS



15MVL and 20MVL with Extension Platforms

- Extension platform retracted – 0.66 x 0.66 m
- Extension platform extended – 0.66 x 1.25 m
- Slide bar – rear entry
- 160 kg platform capacity (20MVL)
- 230 kg platform capacity (15MVL)



10MSP

MSP Series Mobile Stock Pickers


Platform Height	3.05 m
Working Height	5.05 m
Operator Platform Capacity	160 kg
Material Tray Capacity	115 kg
Overall Height Stowed	145 cm
Maximum Drive Height	Full Height
Turning Radius	Zero
Weight	500 kg

Available options

Programmable 4-Digit Security Lock	•
Motion Alarm	•
Guide Roller System	•

MAIN FEATURES:

- JLG Point & Go® fully proportional drive/steer single joystick control
- Direct electric two wheel drive
- On-board diagnostics
- Sealed maintenance-free batteries
- Low maintenance anodised aluminum mast
- Pothole protection system
- Non-marking tyres



Toucan™ Duo

Platform Height	4.00 m
Working Height	6.00 m
Platform Capacity	130 kg
Tray Capacity	70 kg
Overall Height Stowed	1.79 m
Weight	1.000 kg
Overall Length Stowed	1.65 m

Available options

4 x 6 Volt, 180 A/Hr Gel Batteries	•
Battery Discharge Indicator with Low Charge Function Cut-out	•
Low Temperature Lubrication	•

MAIN FEATURES:

- Fully proportional drive joystick control with integral thumb steer switch
- Dedicated material tray controls
- Battery condition indicator on platform
- Brushless AC motors
- Low maintenance non-rotating extruded aluminum mast
- Food compatible lubrication and hydraulic oil
- 2 degree tilt indicator and alarm



MAIN FEATURES

- Quick change platform mounts
- Point & Go® fully proportional drive/steer single joystick control
- Direct electric two wheel drive
- Sealed maintenance-free batteries
- On-board diagnostics
- AC Power cable to platform
- Low maintenance anodised aluminum mast
- Non-marking tyres

	15MVL	20MVL
MVL Series Mobile Vertical Lifts		
Platform Height	4.71 m	5.98 m
Working Height	6.71 m	7.98 m
Platform Capacity	230 kg	160 kg
Overall Height Stowed	1.98 m	1.98 m
Maximum Drive Height	Full Height	Full Height
Turning Radius	Zero	Zero
Weight	1,090 kg	1,090 kg
Available options		
0.69 m x 0.58 m (W x L) Platform with 0.69 x 0.58 m Material Tray	-	•
0.66 m x 1.25 m (W x L) Slide Bar Entry Extendable Platform	•	•
0.71 m x 1.22 m (W x L) Stock Picking Platform	•	•
0.56 m x 0.64 m (W x L) Narrow Slide Bar Entry Platform	•	•
Programmable 4 Digit Security Lock	•	•
Lifting Eye for Crane Hook	•	•
Tool Tray (0.20 m x 0.46 m x 0.13 m)	•	•
Fluorescent Tube Caddy	•	•

Deutschland

Tel: +49 (0) 421 693 5000
JLG Deutschland GmbH
Max-Planck-Straße 21
D-27721 Ritterhude/Ihlpohl (Bei Bremen)

España

Tel: +34 93 772 47 00
JLG Ibérica, SL
Trapadella, 2
Pol. Ind. Castellbisbal Sur
08755 Castellbisbal (Barcelona)

France

Tel: +33 (0) 553 88 31 70
JLG France SAS
ZI Guillaume mon Amy
CS 30204 Fauillet
F-47400 Tonneins

JLG EMEA BV

Tel: +31 (0) 23 565 5665
Polaris Avenue 63
2132 JH Hoofddorp
The Netherlands

Italia

Tel: +39 02 9359 5210
JLG Industries (Italia) s.r.l.
Via Po.22
20010 Pregnana Milanese -MI-

Russia

Tel: +7 (495) 967 79 14
JLG Industries Inc.
Vashutinskoe shosse 24b
Khimki, Moscow Region 141400
Russian Federation

JLG Manufacturing Europe bvba

Tel: +32 (0) 89 77 49 74
Oude Bunders 1034
Breitwaterstraat 12a
B-3630 Maasmechelen Belgium

Sverige

Tel: +46 (0) 8 506 59500
JLG Sverige AB
Enköpingsvägen 150
Box 704, SE-176 77 Järfälla

United Kingdom

Tel: +44 (0) 161 654 1000
JLG Industries (United Kingdom) Limited
Bentley House, Bentley Avenue
Middleton, Greater Manchester
M24 2GP

Romania Manufacturing Central Europe SRL

Tel: +40 (0) 269 803 974
A. Vlaicu nr. 41
551041 Medias

JLG Industries, Inc. is a leading designer and manufacturer of access equipment and complementary services and attachments.

JLG has manufacturing facilities in the United States, France, Romania, China and Belgium. Customers throughout Europe, Africa and the Middle East benefit from a network of dedicated sales and service operations designed to deliver the highest levels of support.

www.jlg.com JLG is an Oshkosh Corporation company.

Form No.: JLG-BRO-STOCKPICKER-ENG-0215 Part No.: 14060208

